

WEKSLER® Air Duct Thermometer

MODEL D960AF2



RANGES		
FAHRENHEIT	MINOR GRADS	RANGE CODE
-40/110F	2°	F1
0/120F	1°	F2
0/160F	2°	F3
30/180F	2°	F4
30/240F	2°	F5
CELSIUS		
-20/45C	1°	C1
0/50C	1°	C2
0/100C	1°	C3
DUAL SCALE		
-40/110F & -40/43C	2°	D1
0/120F & -15/48C	1°	D2
0/160F & -15/70C	2°	D3
30/180F & 0/82C	2°	D4
30/240F & 0/115C	2°	D5

STANDARD FEATURES

- Mercury Free.
- Molded Valox® – V-shaped black case supplied as standard.
- Glass front excludes dust and dirt.
- White aluminum scale with bold black graduations and flanges.
- Mercury Free blue liquid in glass with magnifying lens for easy readability.
- Accuracy is ± 1% of full scale.
- Easy adjustment permits case and stem to be rotated 360°.
- 3½", 6", 9" & 12" stems available.
- Protective slotted bulb guard, ¾" diameter aluminum stem and 3" diameter union flange.

OPTIONS

- Red reading liquid in glass fill available.
- Spirit fill.
- Plastic window available for both 7" and 9" scale.
- Lagging extension.
- Aluminum case.



See page 5 for general dimensions.

How to Order

EXAMPLE: **D** **9** **6** **0** **A** **F** **2** LIST OPTIONS

PRODUCT TYPE

D = Air Duct Thermometer

SCALE SIZE

7 = 7" Scale
9 = 9" Scale

STEM LENGTH

35 = 3½" Stem
60 = 6" Stem
90 = 9" Stem
12 = 12" Stem

CONNECTION LOCATION

A = Adjust Angle

RANGE

See Codes in Tables Above

OPTIONS

AL = Aluminum Case
PD = Plastic Window
RED = Red Spirit

Valox® is a registered Trademark of The General Electric Company.